



Lusin® MC1718 (Spray)

Mold Cleaner

DESCRIPTION

Mold cleaner based on organic solvents. Lusin® MC1718 (Spray) is a mold cleaner especially formulated to remove tenacious polymers and deposits from metal surfaces.

BENEFITS

- Aerosol with a high spray rate
- Cleans thoroughly
- Rapid cleaning effect

APPLICATION

Apply Lusin® MC1718 (Spray) on contaminated mold cavities. Allow the product to react. Remove by producing parts or manual removing with a clean cloth. Following few parts will show effects on surface quality. If required, the procedure can be repeated several times at increased temperatures and longer reaction time. Caution: Lusin® MC1718 (Spray) will potentially degrade plastic and painted surfaces. In case of production stoppage, after having cleaned the surface with Lusin® MC1718 (Spray), an anti-corrosion agent like Lusin® Protect G 11 or Lusin® Protect G 31 should be applied. Shake well before use.

TYPICAL PROPERTIES

Appearance of the active ingredient after evaporation:
Colorless liquid.
These are typical values and should not be used to set specifications.

STORAGE

Lusin® MC1718 (Spray) should be stored indoors in a dry area at room temperature.

HANDLING

For further information on storage, handling, hazards, etc., please refer to the appropriate Safety Data Sheet. Do not use after the expiration date shown.

SHELF LIFE

Approximately 24 months.

PACKAGING

Lusin® MC1718 (Spray) is available in a variety of package sizes. Please contact Chem-Trend customer service for details.

FURTHER INFORMATION

Please request information on our complete range of products for Thermoplastics: Purging Compounds, Mold Cleaners, Degreasers, Mold Protectants, Lubricants and Release Agents.

LEGAL NOTICE

The technical information and suggestions for use contained herein are based on our general experience and knowledge at the time of publication and are intended to give information of possible applications to a professional with technical experience. It does not release the customer from the obligation of performing their own tests with the product selected for a specific application. While the information and suggestions are believed to be accurate and reliable, nothing stated in this document is to be taken as a warranty either expressed or implied.